

Fuse Tester

Test for Blown Fuses



**Green LED
Lights UP!**



(Backside View)

Durable Plastic & Metal Construction
Green LED Lights Up To Indicate Good Fuse
Probes Adjust to Fit Different Blade Fuse Sizes
Test & Pulls Fuses:
ATC/ATO, Mini, Micro, Low Profile & Maxi

Part #	Qty
1006A	25
1006C	1
1006PT	1

Fuse Pullers

Durable Single Piece Construction
Pulls and Installs Fuses
Black - ATC/ATO Fuses & Glass Fuses
1-7/8" Length
Red - Mini, Micro2, Micro3 & Low Profile Fuses
1-1/4" Length



(Fuses Not Included)

Sold as a Set Only
Set = 1 Each Style

Part #	Qty
1007C	1 set
1007PT	1 set

Fuses

Fuses Available in Bulk or Retail Package

PT Clam Pack
Fuses & Fuse Puller
Available in:
ATC/ATO, ATM Mini, Low Profile & Micro2
Fuse Assortments



**#0975PT - ATC/ATO Fuses
Fuse Puller &
1 ea of 8 Listed Fuses**



**#0976PT - ATM Mini Fuse
Fuse Puller &
1 ea of 8 Listed Fuses**




**#0977PT - Low Profile Fuses
Fuse Puller &
1 ea of 7 Listed Fuses**



**#0978PT - ATR Micro2 Fuses
Fuse Puller &
1 ea of 7 Listed Fuses**

Know Your Fuse



FUSE ASSORTMENT

NEW


Handy Kit Clam

#0974PT
Fuse Assortment and 2 Fuse Pullers
Handy Kit Clam Pack
ATC/ATO, ATM, Low Profile
& Micro2 Fuses

Part #	Qty
0974PT	32



ATC/ATO FUSE



Most Common Standard Blade Fuse
Found on Cars, Trucks, Buses & Off-Road Vehicles
Color Coded for Easy Amp Identification
Colors Follow Industry Standard to Indicate Amp Rating
Voltage Rating: 32 Volts DC
Complies with SAE J1284 Standard
Temperature Rating: -40°F - 221°F (-40°C - 105°C)

NEW

AMPS	Color	Part #	Qty	Part #	Qty	Part #	Qty
3 AMP	Violet	1010A	100	1010G	25	1010GT	25
				1010C	5	1010PT	5
				1011G	25	1011GT	25
5 AMP	Tan	1011A	100	1011C	5	1011PT	5
				1012G	25	1012GT	25
7.5 AMP	Brown	1012A	100	1012C	5	1012PT	5
				1013G	25	1013GT	25
10 AMP	Red	1013A	100	1013C	5	1013PT	5
				1014G	25	1014GT	25
15 AMP	Blue	1014A	100	1014C	5	1014PT	5
				1015G	25	1015GT	25
20 AMP	Yellow	1015A	100	1015C	5	1015PT	5
				1016G	25	1016GT	25
25 AMP	Clear	1016A	100	1016C	5	1016PT	5
				1017G	25	1017GT	25
30 AMP	Green	1017A	100	1017C	5	1017PT	5
				1018G	25	1018GT	25
40 AMP	Orange	1018A	100	1018C	5	1018PT	5

All Items with QT, KT, GT or PT Suffix are Clam Shell Program Items.

Fuses

Fuses Available in Bulk or Retail Package

ATM MINI FUSE



Miniature Designed Mini Blade Fuse
 Allows for Protection of More Circuits in Less Space
 Color Coded for Easy Amp Identification
 Colors Follow Industry Standard to Indicate Amp Rating
 Voltage Rating: 32 Volts DC
 Complies with SAE J2077 Standard
 Temperature Rating: -40°F - 221°F (-40°C - 105°C)

AMPS	Color	Part #	Qty	Part #	Qty	Part #	Qty
3 AMP	Violet	1020A	100	1020G	25	1020GT	25
				1020C	5	1020PT	5
				1021C	5	1021PT	5
5 AMP	Tan	1021A	100	1021G	25	1021GT	25
				1021C	5	1021PT	5
7.5 AMP	Brown	1022A	100	1022G	25	1022GT	25
				1022C	5	1022PT	5
10 AMP	Red	1023A	100	1023G	25	1023GT	25
				1023C	5	1023PT	5
15 AMP	Blue	1024A	100	1024G	25	1024GT	25
				1024C	5	1024PT	5
20 AMP	Yellow	1025A	100	1025G	25	1025GT	25
				1025C	5	1025PT	5
25 AMP	Clear	1026A	100	1026G	25	1026GT	25
				1026C	5	1026PT	5
30 AMP	Green	1027A	100	1027G	25	1027GT	25
				1027C	5	1027PT	5

LOW PROFILE FUSE



Low Profile Mini Blade Fuse
 Designed as Space Saving Feature in Late Model Autos & Light Duty Trucks
 Fuses Used With Tuning-Fork Terminals That Replace Female Box Terminals
 Color Coded for Easy Amp Identification
 Colors Follow Industry Standard to Indicate Amp Rating
 Voltage Rating: 32 Volts DC
 Complies with SAE J2077 Standard
 Temperature Rating: -40°F - 221°F (-40°C - 105°C)

AMPS	Color	Part #	Qty	Part #	Qty	Part #	Qty
5 AMP	Tan	1032A	100	1032G	25	1032GT	25
				1032C	5	1032PT	5
7.5 AMP	Brown	1033A	100	1033G	25	1033GT	25
				1033C	5	1033PT	5
10 AMP	Red	1034A	100	1034G	25	1034GT	25
				1034C	5	1034PT	5
15 AMP	Blue	1035A	100	1035G	25	1035GT	25
				1035C	5	1035PT	5
20 AMP	Yellow	1036A	100	1036G	25	1036GT	25
				1036C	5	1036PT	5
25 AMP	Clear	1037A	100	1037G	25	1037GT	25
				1037C	5	1037PT	5
30 AMP	Green	1038A	100	1038G	25	1038GT	25
				1038C	5	1038PT	5

MICRO2 FUSE



Micro2, Newer Standard of Blade Fuse
 Designed to Fit More Fuses in Small Area to Accommodate New Car Designs
 Color Coded for Easy Amp Identification
 Colors Follow Industry Standard to Indicate Amp Rating
 Voltage Rating: 32 Volts DC
 Complies with SAE J2741 Standard
 Temperature Rating: -40°F - 221°F (-40°C - 105°C)

AMPS	Color	Part #	Qty	Part #	Qty	Part #	Qty
5 AMP	Tan	1040A	100	1040G	25	1040GT	25
				1040C	5	1040PT	5
7.5 AMP	Brown	1041A	100	1041G	25	1041GT	25
				1041C	5	1041PT	5
10 AMP	Red	1042A	100	1042G	25	1042GT	25
				1042C	5	1042PT	5
15 AMP	Blue	1043A	100	1043G	25	1043GT	25
				1043C	5	1043PT	5
20 AMP	Yellow	1044A	100	1044G	25	1044GT	25
				1044C	5	1044PT	5
25 AMP	Clear	1045A	100	1045G	25	1045GT	25
				1045C	5	1045PT	5
30 AMP	Green	1046A	100	1046G	25	1046GT	25
				1046C	5	1046PT	5

MICRO3 FUSE



Fuse Combines Protection for Two Circuits in One Application
 Miniature Design Meets Need for More Circuits
 To Be Protected Utilizing Less Space
 Color Coded for Easy Amp Identification
 Colors Follow Industry Standard to Indicate Amp Rating
 Voltage Rating: 32 Volts DC
 Temperature Rating: -40°F - 221°F (-40°C - 105°C)

AMPS	Color	Part #	Qty	Part #	Qty	Part #	Qty
5 AMP	Tan	1060A	100	1060G	25	1060GT	25
				1060C	5	1060PT	5
7.5 AMP	Brown	1061A	100	1061G	25	1061GT	25
				1061C	5	1061PT	5
10 AMP	Red	1062A	100	1062G	25	1062GT	25
				1062C	5	1062PT	5
15 AMP	Blue	1063A	100	1063G	25	1063GT	25
				1063C	5	1063PT	5

MAXI FUSE



Largest Blade Type Fuse
 Accommodates Older Automotive Applications
 Where Higher Amp Circuit is Required
 Fuses Color Coded for Easy Amp Identification
 Voltage Rating: 32 Volts DC
 Complies with SAE J1888 & SAE 2576 Standard
 Temperature Rating: -40°F - 221°F (-40°C - 105°C)

AMPS	Color	Part #	Qty	Part #	Qty	Part #	Qty
20 AMP	Yellow	1050A	10	1050C	1	1050PT	1
30 AMP	Green	1051A	10	1051C	1	1051PT	1
40 AMP	Orange	1052A	10	1052C	1	1052PT	1
50 AMP	Red	1053A	10	1053C	1	1053PT	1
60 AMP	Blue	1054A	10	1054C	1	1054PT	1
70 AMP	Brown	1055A	10	1055C	1	1055PT	1
80 AMP	Natural	1056A	10	1056C	1	1056PT	1

All Items with QT, KT, GT or PT Suffix are Clam Shell Program Items.