

Fuses

PT Clam Pack Fuses & Fuse Puller
Available in: ATC/ATO, ATM Mini, Low Profile & Micro2 Fuse Assortments



#0975PT - ATC/ATO Fuses
Fuse Puller &
1 ea of 8 Listed Fuses




#0976PT - ATM Mini Fuse
Fuse Puller &
1 ea of 8 Listed Fuses



*Fuses Available in Bulk or Retail Package -
Industry Standard Color Indicates Amperage*

Know Your Fuse



#0977PT - Low Profile Fuses
Fuse Puller &
1 ea of 7 Listed Fuses



#0978PT - ATR Micro2 Fuses
Fuse Puller &
1 ea of 7 Listed Fuses

NEW



#0979PT - AGC Fuses
Fuse Puller &
1 ea of 8 Listed Fuses

FUSE ASSORTMENT

Handy Kit Clam

#0974PT
Fuse Assortment and 2 Fuse Pullers
Handy Kit Clam Pack
Re-Sealable & Re-Usable Pack
ATC/ATO, ATM, Low Profile
& Micro2 Fuses

Part # Qty
0974PT 32



NEW



#0002-AGC
56 pc. AGC Fuse Kit
Shelf or Peg Display
Includes: 7 Pieces each
1071 1072 1073
1074 1075 1076 1077 1078

NEW



#0002-ATC
56 pc. ATC Fuse Kit
Shelf or Peg Display
Includes: 7 Pieces each
1010 1011 1012
1013 1014 1015 1016 1017

NEW



#0002-ATM
56 pc. ATM Fuse Kit
Shelf or Peg Display
Includes: 7 Pieces each
1020 1021 1022
1023 1024 1025 1026 1027

NEW



#0002-ATR
50 pc. ATR Fuse Kit
Shelf or Peg Display
Includes: 7 Pieces each
1040 1041
1042 1043 1044 1045 1046

NEW



#0001-ATC
43 pc. ATC/ATO Fuse Kit
Shelf or Peg Display
1- 1006 Fuse Tester
Includes: 7 Pieces each
1011 1013
1014 1015 1016 1017

NEW



#0001-ATM
43 pc. ATM Fuse Kit
Shelf or Peg Display
1- 1006 Fuse Tester
Includes: 7 Pieces each
1021 1023
1024 1025 1026 1027

Fuses

Fuses Available in Bulk or Retail Package -
Industry Standard Color Indicates Amperage



AGC GLASS FUSE

Glass tube with metal cap
Stamped with amperage
Max rating 32 Volts DC



AMPS	Part #	Qty	Part #	Qty	Part #	Qty
3 AMP	1071A	100	1071G	25	1071GT	25
			1071C	5	1071PT	5
			1072G	25	1072GT	25
5 AMP	1072A	100	1072C	5	1072PT	5
			1073G	25	1073GT	25
7.5 AMP	1073A	100	1073C	5	1073PT	5
			1074G	25	1074GT	25
10 AMP	1074A	100	1074C	5	1074PT	5
			1075G	25	1075GT	25
15 AMP	1075A	100	1075C	5	1075PT	5
			1076G	25	1076GT	25
20 AMP	1076A	100	1076C	5	1076PT	5
			1077G	25	1077GT	25
25 AMP	1077A	100	1077C	5	1077PT	5
			1078G	25	1078GT	25
30 AMP	1078A	100	1078C	5	1078PT	5



SFE GLASS FUSE

Glass tube with metal cap
Stamped with amperage
Max rating 32 Volts DC



AMPS	Part #	Qty	Part #	Qty	Part #	Qty
4 AMP	1081A	100	1081G	25	1081GT	25
			1081C	5	1081PT	5
6 AMP	1082A	100	1082G	25	1082GT	25
			1082C	5	1082PT	5
7.5 AMP	1083A	100	1083G	25	1083GT	25
			1083C	5	1083PT	5
9 AMP	1084A	100	1084G	25	1084GT	25
			1084C	5	1084PT	5
14 AMP	1085A	100	1085G	25	1085GT	25
			1085C	5	1085PT	5
20 AMP	1086A	100	1086G	25	1086GT	25
			1086C	5	1086PT	5
30 AMP	1087A	100	1087G	25	1087GT	25
			1087C	5	1087PT	5



Female Fuse

32 volt DC Colors Follow Industry Standard
to Indicate AMP Rating



Female Micro Slotted Fuse

32 volt DC Colors Follow Industry Standard
to Indicate AMP Rating



AMPS	Color	Part #	Qty	Part #	Qty	Part #	Qty
15 AMP	Grey	0521A	100	0521G	10	0521GT	10
				0521C	1	0521PT	1
20 AMP	Blue	0522A	100	0522G	10	0522GT	10
				0522C	1	0522PT	1
25 AMP	White	0523A	100	0523G	10	0523GT	10
				0523C	1	0523PT	1
30 AMP	Pink	0524A	100	0524G	10	0524GT	10
				0524C	1	0524PT	1
40 AMP	Green	0525A	100	0525G	10	0525GT	10
				0525C	1	0525PT	1
50 AMP	Red	0526A	100	0526G	10	0526GT	10
				0526C	1	0526PT	1
60 AMP	Yellow	0527A	100	0527G	10	0527GT	10
				0527C	1	0527PT	1

AMPS	Color	Part #	Qty	Part #	Qty	Part #	Qty
20 AMP	Blue	0551A	50	0551G	10	0551GT	10
				0551C	1	0551PT	1
30 AMP	Pink	0552A	50	0552G	10	0552GT	10
				0552C	1	0552PT	1
40 AMP	Green	0553A	50	0553G	10	0553GT	10
				0553C	1	0553PT	1
50 AMP	Red	0554A	50	0554G	10	0554GT	10
				0554C	1	0554PT	1
60 AMP	Yellow	0555A	50	0555G	10	0555GT	10
				0555C	1	0555PT	1



Female Maxi Fuse

32 volt DC Colors Follow Industry Standard
to Indicate AMP Rating



AMPS	Color	Part #	Qty	Part #	Qty	Part #	Qty
20 AMP	Blue	0531A	50	0531G	10	0531GT	10
				0531C	1	0531PT	1
25 AMP	White	0532A	100	0532G	10	0532GT	10
				0532C	1	0532PT	1
30 AMP	Pink	0533A	100	0533G	10	0533GT	10
				0533C	1	0533PT	1
40 AMP	Green	0534A	100	0534G	10	0534GT	10
				0534C	1	0534PT	1
50 AMP	Red	0535A	100	0535G	10	0535GT	10
				0535C	1	0535PT	1
60 AMP	Yellow	0536A	100	0536G	10	0536GT	10
				0536C	1	0536PT	1



Female Maxi Fuse Low Profile

32 volt DC Colors Follow Industry Standard
to Indicate AMP Rating



AMPS	Color	Part #	Qty	Part #	Qty	Part #	Qty
20 AMP	Blue	0541A	50	0541G	10	0541GT	10
				0541C	1	0541PT	1
25 AMP	White	0542A	50	0542G	10	0542GT	10
				0542C	1	0542PT	1
30 AMP	Pink	0543A	50	0543G	10	0543GT	10
				0543C	1	0543PT	1
40 AMP	Green	0544A	50	0544G	10	0544GT	10
				0544C	1	0544PT	1
50 AMP	Red	0545A	50	0545G	10	0545GT	10
				0545C	1	0545PT	1
60 AMP	Yellow	0546A	50	0546G	10	0546GT	10
				0546C	1	0546PT	1



Mini Female Fuse

32 volt DC Colors Follow Industry
Standard to Indicate AMP Rating



AMPS	Color	Part #	Qty	Part #	Qty	Part #	Qty
30 AMP	Pink	0561A	50	0561G	10	0561GT	10
				0561C	1	0561PT	1
40 AMP	Green	0562A	50	0562G	10	0562GT	10
				0562C	1	0562PT	1

Fuses




Female Micro Maxi Fuse

32 volt DC Colors Follow Industry Standard to Indicate AMP Rating



AMPS	Color	Part #	Qty	Part #	Qty	Part #	Qty
15 AMP	Grey	0511A	50	0511G	10	0511GT	10
				0511C	1	0511PT	1
20 AMP	Blue	0512A	50	0512G	10	0512GT	10
				0512C	1	0512PT	1
25 AMP	White	0513A	50	0513G	10	0513GT	10
				0513C	1	0513PT	1
30 AMP	Pink	0514A	50	0514G	10	0514GT	10
				0514C	1	0514PT	1
40 AMP	Green	0515A	50	0515G	10	0515GT	10
				0515C	1	0515PT	1

LOW PROFILE FUSE



Low Profile Mini Blade Fuse
Designed as Space Saving Feature in Late Model Autos & Light Duty Trucks Fuses Used With Tuning-Fork Terminals That Replace Female Box Terminals
Color Coded for Easy Amp Identification
Colors Follow Industry Standard to Indicate Amp Rating

AMPS	Color	Part #	Qty	Part #	Qty	Part #	Qty
5 AMP	Tan	1032A	100	1032G	25	1032GT	25
				1032C	5	1032PT	5
7.5 AMP	Brown	1033A	100	1033G	25	1033GT	25
				1033C	5	1033PT	5
10 AMP	Red	1034A	100	1034G	25	1034GT	25
				1034C	5	1034PT	5
15 AMP	Blue	1035A	100	1035G	25	1035GT	25
				1035C	5	1035PT	5
20 AMP	Yellow	1036A	100	1036G	25	1036GT	25
				1036C	5	1036PT	5
25 AMP	Clear	1037A	100	1037G	25	1037GT	25
				1037C	5	1037PT	5
30 AMP	Green	1038A	100	1038G	25	1038GT	25
				1038C	5	1038PT	5

MICRO3 FUSE



Fuse Combines Protection for Two Circuits in One Application, Miniature Design Meets Need for More Circuits, To Be Protected Utilizing Less Space, Color Coded for Easy Amp Identification, Colors Follow Industry Standard to Indicate Amp Rating, Voltage Rating: Max 32 Volts DC, Temperature Rating: -40°F - 221°F (-40°C - 105°C)

AMPS	Color	Part #	Qty	Part #	Qty	Part #	Qty
5 AMP	Tan	1060A	100	1060G	25	1060GT	25
				1060C	5	1060PT	5
7.5 AMP	Brown	1061A	100	1061G	25	1061GT	25
				1061C	5	1061PT	5
10 AMP	Red	1062A	100	1062G	25	1062GT	25
				1062C	5	1062PT	5
15 AMP	Blue	1063A	100	1063G	25	1063GT	25
				1063C	5	1063PT	5

MAXI FUSE



Largest Blade Type Fuse
Accommodates Older Automotive Applications Where Higher Amp Circuit is Required
Fuses Color Coded for Easy Amp Identification
Voltage Rating: Max 32 Volts DC
Complies with SAE J1888 & SAE 2576 Standard
Temperature Rating: -40°F - 221°F (-40°C - 105°C)

AMPS	Color	Part #	Qty	Part #	Qty	Part #	Qty
20 AMP	Yellow	1050A	10	1050C	1	1050PT	1
30 AMP	Green	1051A	10	1051C	1	1051PT	1
40 AMP	Orange	1052A	10	1052C	1	1052PT	1
50 AMP	Red	1053A	10	1053C	1	1053PT	1
60 AMP	Blue	1054A	10	1054C	1	1054PT	1
70 AMP	Brown	1055A	10	1055C	1	1055PT	1
80 AMP	Natural	1056A	10	1056C	1	1056PT	1

ATC/ATO FUSE



Most Common Standard Blade Fuse
Found on Cars, Trucks, Buses & Off-Road Vehicles
Color Coded for Easy Amp Identification
Colors Follow Industry Standard to Indicate Amp Rating
Voltage Rating: Max 32 Volts DC
Complies with SAE J1284 Standard
Temperature Rating: -40°F - 221°F (-40°C - 105°C)

AMPS	Color	Part #	Qty	Part #	Qty	Part #	Qty
3 AMP	Violet	1010A	100	1010G	25	1010GT	25
				1010C	5	1010PT	5
5 AMP	Tan	1011A	100	1011G	25	1011GT	25
				1011C	5	1011PT	5
7.5 AMP	Brown	1012A	100	1012G	25	1012GT	25
				1012C	5	1012PT	5
10 AMP	Red	1013A	100	1013G	25	1013GT	25
				1013C	5	1013PT	5
15 AMP	Blue	1014A	100	1014G	25	1014GT	25
				1014C	5	1014PT	5
20 AMP	Yellow	1015A	100	1015G	25	1015GT	25
				1015C	5	1015PT	5
25 AMP	Clear	1016A	100	1016G	25	1016GT	25
				1016C	5	1016PT	5
30 AMP	Green	1017A	100	1017G	25	1017GT	25
				1017C	5	1017PT	5
40 AMP	Orange	1018A	100	1018G	25	1018GT	25
				1018C	5	1018PT	5


ATM MINI FUSE



Miniature Designed Mini Blade Fuse
Allows for Protection of More Circuits in Less Space
Color Coded for Easy Amp Identification
Colors Follow Industry Standard to Indicate Amp Rating
Voltage Rating: Max 32 Volts DC
Complies with SAE J2077 Standard

AMPS	Color	Part #	Qty	Part #	Qty	Part #	Qty
3 AMP	Violet	1020A	100	1020G	25	1020GT	25
				1020C	5	1020PT	5
5 AMP	Tan	1021A	100	1021G	25	1021GT	25
				1021C	5	1021PT	5
7.5 AMP	Brown	1022A	100	1022G	25	1022GT	25
				1022C	5	1022PT	5
10 AMP	Red	1023A	100	1023G	25	1023GT	25
				1023C	5	1023PT	5
15 AMP	Blue	1024A	100	1024G	25	1024GT	25
				1024C	5	1024PT	5
20 AMP	Yellow	1025A	100	1025G	25	1025GT	25
				1025C	5	1025PT	5
25 AMP	Clear	1026A	100	1026G	25	1026GT	25
				1026C	5	1026PT	5
30 AMP	Green	1027A	100	1027G	25	1027GT	25
				1027C	5	1027PT	5

MICRO2 FUSE



Micro2, Newer Standard of Blade Fuse
Designed to Fit More Fuses in Small Area to Accommodate New Car Designs
Color Coded for Easy Amp Identification
Colors Follow Industry Standard to Indicate Amp Rating
Voltage Rating: Max 32 Volts DC
Complies with SAE J2741 Standard
Temperature Rating: -40°F - 221°F (-40°C - 105°C)

AMPS	Color	Part #	Qty	Part #	Qty	Part #	Qty
5 AMP	Tan	1040A	100	1040G	25	1040GT	25
				1040C	5	1040PT	5
7.5 AMP	Brown	1041A	100	1041G	25	1041GT	25
				1041C	5	1041PT	5
10 AMP	Red	1042A	100	1042G	25	1042GT	25
				1042C	5	1042PT	5
15 AMP	Blue	1043A	100	1043G	25	1043GT	25
				1043C	5	1043PT	5
20 AMP	Yellow	1044A	100	1044G	25	1044GT	25
				1044C	5	1044PT	5
25 AMP	Clear	1045A	100	1045G	25	1045GT	25
				1045C	5	1045PT	5
30 AMP	Green	1046A	100	1046G	25	1046GT	25
				1046C	5	1046PT	5