


Deutsch Connectors & Pigtails

Deutsch DT Connectors



PROPER CRIMPING



Open Barrel Terminals
Use Crimp Tool #0663T



Solid Barrel Terminals
Use Special Crimp Tool
#0666T or #0667T

Look for Inspection Hole

Water Tight & Vibration Resistant Connection Repair Damaged Connectors or Make New Connections Thermoplastic Housings & WedgeLocks With Silicone Seals Wedglocks Lock Pins Into Housings Providing Perfect Alignment Housings Lock Together With Releasable Tabs 13 Amp Rating for Deutsch DT Connectors Operating Temperature -67°F to 257°F (-55°C to 125°C)



#0668PT (#0668T)
Extractor Pick for Repair of DT, DTM & DTP Deutsch Connectors Hook End Removes Wedglock Blade Slides Into Housing To Release Terminal



#0667T
Crimps Deutsch DT **Solid Barrel** Terminals Ratchet Crimping for Perfect Termination 20-14 AWG Terminals



#0663PT (#0663T)
Crimps 24-14 AWG **Open Barrel** Terminals Reinforced Parallel Jaw Mechanism Makes Precision "B" Crimps Insulation Crimp & Conductor Crimp Nests



#0666T
Crimps Deutsch DT, DTM & DTP 24-12 AWG **Solid Barrel** Terminals Ratchet Adjust For Each Wire Gauge & Terminal Size

DT HOUSINGS & WEDGELOCKS

Female Receptacle & Green Wedge	Male Plug & Orange Wedge	Part #	Qty	Description
		5990A	100 sets	2-Way Female Housing & Green Wedge (DT04-2P)
		5990G	50 sets	
		5990C	1 set	
		5990PT	1 set	
		5991A	100 sets	2-Way Male Housing & Orange Wedge (DT06-2S)
		5991G	50 sets	
		5991C	1 set	
		5991PT	1 set	
		5992A	100 sets	3-Way Female Housing & Green Wedge (DT04-3P)
		5992G	50 sets	
		5992C	1 set	
		5992PT	1 set	
		5993A	100 sets	3-Way Male Housing & Orange Wedge (DT06-3S)
		5993G	50 sets	
		5993C	1 set	
		5993PT	1 set	
		5994A	100 sets	4-Way Female Housing & Green Wedge (DT04-4P)
		5994G	50 sets	
		5994C	1 set	
		5994PT	1 set	
		5995A	100 sets	4-Way Male Housing & Orange Wedge (DT06-4S)
		5995G	50 sets	
		5995C	1 set	
		5995PT	1 set	
		5996A	100 sets	6-Way Female Housing & Green Wedge (DT04-6P)
		5996G	50 sets	
		5996C	1 set	
		5996PT	1 set	
		5997A	100 sets	6-Way Male Housing & Orange Wedge (DT06-6S)
		5997G	50 sets	
		5997C	1 set	
		5997PT	1 set	
		5998A	100 sets	8-Way Female Housing & Green Wedge (DT04-08PA)
		5998G	50 sets	
		5998C	1 set	
		5998PT	1 set	
		5999A	100 sets	8-Way Male Housing & Orange Wedge (DT06-08SA)
		5999G	50 sets	
		5999C	1 set	
		5999PT	1 set	
		5988A	100 sets	12-Way Female Housing & Green Wedge (DT04-12PA)
		5988G	50 sets	
		5988C	1 set	
		5988PT	1 set	
		5989A	100 sets	12-Way Male Housing & Orange Wedge (DT06-12SA)
		5989G	50 sets	
		5989C	1 set	
		5989PT	1 set	

DT CAVITY PLUG

Small Plastic Plug for Filling Unused Cavities on DT Connectors



Part #	Qty
5961A	500
5961G	50
5961C	5
5961PT	5

DT SOLID BARREL TERMINALS

Use Tool #0667T or #0666T

	Part #	Qty	Gauge	
	FEMALE SOCKET	5962A	500	16-18
		5962G	50	16-18
		5962C	5	16-18
		5962PT	5	16-18
		5964A	500	14-16
	5964G	50	14-16	
	5964C	5	14-16	
	5964PT	5	14-16	
	MALE PIN	5963A	500	16-18
		5963G	50	16-18
		5963C	5	16-18
		5963PT	5	16-18
		5965A	500	14-16
		5965G	50	14-16
		5965C	5	14-16
	5965PT	5	14-16	

DT OPEN BARREL TERMINALS

Use Tool #0663T













	Part #	Qty	Gauge	
	FEMALE SOCKET	5966A	500	16-18
		5966G	50	16-18
		5966C	5	16-18
		5966PT	5	16-18
		5968A	500	14-16
	5968G	50	14-16	
	5968C	5	14-16	
	5968PT	5	14-16	
	MALE PIN	5967A	500	16-18
		5967G	50	16-18
		5967C	5	16-18
		5967PT	5	16-18
		5969A	500	14-16
		5969G	50	14-16
		5969C	5	14-16
	5969PT	5	14-16	

Deutsch Connectors & Pigtails









Deutsch DTM & DTP Connectors

Repair or Replacement of Deutsch DTM or DTP Connectors
 Mated Connectors Provide Environmentally Sealed Applications
 Extremely Durable Cable-to-Cable Connections for Harsh Environments
 Vehicle Engine Compartments where Temperature & Moisture Cannot Be Controlled.

DEUTSCH DTM HOUSINGS & WEDGELOCKS

Male Plug & Orange Wedge	Female Receptacle & Orange Wedge	Part #	Qty	Description
		5970A	100 sets	2-Way Female Housing & Orange Wedge (DTM04-2P)
		5970G	50 sets	
		5970C	1 set	
		5970PT	1 set	
		5971A	100 sets	2-Way Male Housing & Orange Wedge (DTM06-2S)
		5971G	50 sets	
		5971C	1 set	
		5971PT	1 set	
		5972A	100 sets	3-Way Female Housing & Orange Wedge (DTM04-3P)
		5972G	50 sets	
		5972C	1 set	
		5972PT	1 set	
		5973A	100 sets	3-Way Male Housing & Orange Wedge (DTM06-3S)
		5973G	50 sets	
		5973C	1 set	
		5973PT	1 set	
		5974A	100 sets	4-Way Female Housing & Orange Wedge (DTM04-4P)
		5974G	50 sets	
		5974C	1 set	
		5974PT	1 set	
		5975A	100 sets	4-Way Male Housing & Orange Wedge (DTM06-4S)
		5975G	50 sets	
		5975C	1 set	
		5975PT	1 set	

DEUTSCH DTP HOUSINGS & WEDGELOCKS

Male Plug & Orange Wedge	Female Receptacle & Orange Wedge	Part #	Qty	Description
		5984A	100 sets	2-Way Female Housing & Orange Wedge (DTP04-2P)
		5984G	50 sets	
		5984C	1 set	
		5984PT	1 set	
		5985A	100 sets	2-Way Male Housing & Orange Wedge (DTP06-2S)
		5985G	50 sets	
		5985C	1 set	
		5985PT	1 set	
		5986A	100 sets	4-Way Female Housing & Orange Wedge (DTP04-4P)
		5986G	50 sets	
		5986C	1 set	
		5986PT	1 set	
		5987A	100 sets	4-Way Male Housing & Orange Wedge (DTP06-4S)
		5987G	50 sets	
		5987C	1 set	
		5987PT	1 set	

Thermoplastic Housing & Locks & Silicone Seals
 Nickel Plated Copper Contacts
 Temperature Rating -55°C to +125°C
 7.5 Amp Rating for **DTM** Connectors
 25 Amp Rating for **DTP** Connectors

*Waterproof
Up to 3' of Water!*

DTM CAVITY PLUG



Small Plastic Plug for Filling Unused Cavities on DTM Connectors

Part #	Qty
5952A	500
5952G	50
5952C	5
5952PT	5





NEW 0003-DTM kit on page 5



DTM SOLID BARREL TERMINALS

	Part #	Qty	Gauge
FEMALE SOCKET 	5953A	500	24-20
	5953G	50	24-20
	5953C	5	24-20
	5953PT	5	24-20
MALE PIN 	5954A	500	24-20
	5954G	50	24-20
	5954C	5	24-20
	5954PT	5	24-20




DTM OPEN BARREL TERMINALS

	Part #	Qty	Gauge
FEMALE SOCKET 	5955A	500	20-16
	5955G	50	20-16
	5955C	5	20-16
	5955PT	5	20-16
MALE PIN 	5956A	500	20-16
	5956G	50	20-16
	5956C	5	20-16
	5956PT	5	20-16

DTP SOLID BARREL TERMINALS

	Part #	Qty	Gauge
FEMALE SOCKET 	5931A	500	14-12
	5931G	50	14-12
	5931C	5	14-12
	5931PT	5	14-12
MALE PIN 	5932A	500	14-12
	5932G	50	14-12
	5932C	5	14-12
	5932PT	5	14-12

DTP OPEN BARREL TERMINALS

	Part #	Qty	Gauge
FEMALE SOCKET 	5933A	500	14-12
	5933G	50	14-12
	5933C	5	14-12
	5933PT	5	14-12
MALE PIN 	5935A	500	12-10
	5935G	50	12-10
	5935C	5	12-10
	5935PT	5	12-10
MALE PIN 	5934A	500	14-12
	5934G	50	14-12
	5934C	5	14-12
	5934PT	5	14-12
	5936A	500	12-10
	5936G	50	12-10
	5936C	5	12-10
	5936PT	5	12-10

NEW 0003-DTP kit on page 5

Deutsch DT Pigtails

ASSEMBLED DT DEUTSCH MATING PIGTAILS

All Packaged One Per Pack - Consult Price Sheet For Bulk Packaging

Pre-Assembled!



No More Tedious Connector Repairs or Expensive Deutsch Tool & Pick!

Waterproof Up to 3' of Water!




Kit Available (Page 5)

Pre-Assembled Pigtails For Quick & Easy Repairs & Replacements
 Mated Connectors Provide Environmentally Sealed Applications
 Use With Solder Seal or Heat Seal Butt Connectors
 Housings Lock Together With Releasable Tabs
 Extremely Durable Cable-to-Cable Connections for Harsh Environments


Thermoplastic Housing & Locks, Silicone Seals
 Nickel Plated Copper Solid Barrel Contacts
 Assembled with 12" of 16 Gauge GPT Wire
 Current Capacity 13 Amps
 Temperature Rating -67°F to 257°F (-55°C to 125°C)

Works for Hot Engine Compartments

Wet & Cold Weather Applications



#6010PT (#6010C)
2-Way Male Plug Housing With Female Contacts



#6012PT (#6012C)
3-Way Male Plug Housing With Female Contacts



#6014PT (#6014C)
4-Way Male Plug Housing With Female Contacts



#6016PT (#6016C)
6-Way Male Plug Housing With Female Contacts




#6018PT (#6018C)
8-Way Male Plug Housing With Female Contacts




#6011PT (#6011C)
2-Way Female Housing With Male Contacts




#6013PT (#6013C)
3-Way Female Housing With Male Contacts



#6015PT (#6015C)
4-Way Female Housing With Male Contacts



#6017PT (#6017C)
6-Way Female Housing With Male Contacts




#6019PT (#6019C)
8-Way Female Housing With Male Contacts

Weatherpack Pigtails

ASSEMBLED WEATHERPACK CONNECTORS

All Packaged One Per Pack - Consult Price Sheet For Bulk Packaging


Like Cavity Tower and Shroud are Mating Connectors
 Assembled Connectors with 18 Gauge Crosslink SXL Wire
 Current Capacity 20 Amps
 Temperature Rating -40°F to 275°F (-40°C to 135°C)




#5790PT (#5790C)
Single Cavity Tower with Female Terminals




#5791PT (#5791C)
Double Cavity Tower with Female Terminals



#5792PT (#5792C)
Triple Cavity Tower with Female Terminals



#5793PT (#5793C)
Four Cavity Tower with Female Terminals



#5794PT (#5794C)
Four Cavity Square Tower with Female Terminals



#5795PT (#5795C)
Single Cavity Shroud with Male Terminals



#5796PT (#5796C)
Double Cavity Shroud with Male Terminals



#5797PT (#5797C)
Triple Cavity Shroud with Male Terminals



#5798PT (#5798C)
Four Cavity Shroud with Male Terminals



#5799PT (#5799C)
Four Cavity Square Shroud with Male Terminals